



Double insulation thermoplastic enclosures (IP65)



General Technical Data


Standards	IEC 60947-5-1 / EN 60947-5-1
Air temperature	
– during operation	– 25 ... + 70 °C
– for storage	–40 ... + 80 °C
Degree of protection (according to IEC 60529 and EN 60529)	IP65
Material	Thermoplastic ABS
Box colour	Gray RAL 7035
Colours of the box lid	Gray RAL 7035 / Yellow RAL 1003



Description	Code
Suitable for boxes with 1 hole	SA 1
Suitable for boxes with 2 holes	SA 2
Suitable for boxes with 3 holes	SA 3
Suitable for boxes with 4 holes	SA 4
Suitable for boxes with 5 holes	SA 5



Dimensions 70x70 mm




Code	N. holes	H mm.
SA 100/00 SL*	0	51
SA 103/00 SL*	0	74
SA 100 SL*	1	51
SA 103 SL*	1	74
SA 101 SL**	1	51
SA 104 SL**	1	74
SA 101 A SL***	1	51
SA 104 A SL***	1	74

* Gray cover
** Yellow cover
*** Yellow cover with text




Dimensions 105x70 mm



Code	N. holes	H mm.
SA 105/00 SL	0	51
SA 106/00 SL	0	74
SA 105/40 SL	2	51
SA 106/40 SL	2	74


Double insulation thermoplastic enclosures (IP65)

Dimensions 140x70 mm




Code	N. holes	H mm.
SA 107/00 SL	0	51
SA 108/00 SL	0	74
SA 107/40 SL	3	51
SA 108/40 SL	3	74

Dimensions 185x70 mm




Code	N. holes	H mm.
SA 109/00 SL	0	51
SA 110/00 SL	0	74
SA 109/40 SL	4	51
SA 110/40 SL	4	74

Dimensions 225x70 mm



Code	N. holes	H mm.
SA 111/00 SL	0	74
SA 111 SL	5	74
SA 112 SL	6	74

Dimensions 94x94 mm




Code	N. holes	H mm.
SA 113/00 SL*	0	50
SA 113/1 SL*	1	50
SA 113/2 SL*	2	50
SA 113 Y/1 SL**	1	50
SA 113 Y-A/1 SL***	1	50
SA 114/00 SL*	0	90
SA 114/1 SL*	1	90
SA 114/2 SL*	2	90
SA 114 Y/1 SL**	1	90
SA 114 Y-A/1 SL***	1	90

* Gray cover / ** Yellow cover / ***Yellow cover with text


Double insulation thermoplastic enclosures (IP65)

Dimensions 130x94 mm




Code	N. holes	H mm.
SA 116/00 SL	0	90
SA 116/1 SL	1	90
SA 116/2 SL	2	90
SA 116/3 SL	3	90
SA 116/21 SL	3	90
SA 116/4 SL	4	90

Dimensions 180x94 mm




Code	N. holes	H mm.
SA 118/00 SL	0	90
SA 118/3 SL	3	90
SA 118/4 SL	4	90
SA 118/5 SL	5	90
SA 118/221 SL	5	90
SA 118/6 SL	6	90

Dimensions 180x110 mm



Code	N. holes	H mm.
SA 200/00 SL	0	90
SA 206 SL	6	90
SA 207 SL	7	90
SA 208 SL	8	90
SA 209 SL	9	90

Dimensions 180x180 mm



Code	N. holes	H mm.
SA 300/00 SL	0	116
SA 309 SL	9	116
SA 312 SL	12	116